

Lichtlauf

## product description

Design Christoph Matthias 2012

Aluminium. Steel. White coated. A wall light with a smart light behind. LED 9 W warm white. Mounting on a junction box or just anywhere connected by plug.

Light source: LED ca. 9 W, light colour warm white

Dimensions (without newspaper): Big approx. 60 cm x 60 cm x 18 cm

Small approx. 33 cm x 25 cm x 27 cm

## enclosed

NewsLicht

6 Magnets

## technical data

230V ~ 50Hz

LED approx. 9 W, max. 250 mA



Type:

Indoor light IP20

This luminaire contains built-in LED lamps. Energy classes: A - A++

The lamps can only be replaced by the manufacturer.

## safety note

Follow always the hints of this instruction for a safe assembly and use of these lights. Keep the assembly instruction for further questions.

The assembly and the electric supply must be done by an electric professional. Local installation regulations have to be respected.

The manufacturer accepts no liability for any damage due to improper use of the luminaire.

**Attention! Before working on the luminaire disconnect it from the mains. Also for cleaning, maintenance and lamp change.**

Luminaires are only allowed to be used for the specified purpose. Interior lights may not be used in outside area. Luminaires may not be covered.

They may not be connected to power supply still they are packaged.

Lights with electronic control gears (ECG) have to be operated with original ECGs.

The lamp change must be done by a competent professional.

Use only lamps with same type of construction, performance and voltage.

In case of damages, in particular of cable and socket, the luminaire have to be shut off immediately. In case of damage on the mains cable it has to be changed by the Lichtlauf GmbH.

For malfunction call authorized personnel for troubleshooting.

Never repair it by yourself.

Through improper repair work may arise risk for the user.

Elements of plug and connection shall be free from traction and torque.

## care instructions

Disconnect the device from the power supply grid before cleaning.

The care of the lamp is limited to the surfaces.

Make sure no liquid reach the connection area or electrical components.

**Important:**  
**Please don't use spiritus or alcohol containing products.**  
**As well as no abrasives or abrasive containing detergents.**

Only use a damp cloth to clean the lamp.

## special notes

Keep plastic bags and small components away from children to avoid risks of suffocation or swallowing!

**Do not look directly into the light source!**  
**(risk of glare or eye damage)**


## mounting of NewsLicht

Define the position where NewsLicht shall be placed. Please note that there is a socket within reach of the cable.

When the desired place is founded mark two points with a distance of 13 cm horizontally on the wall.

Use adequate fixing material for your wall.

Now turn the screws until the wall holder can be mounted and can be arrested if required. If the wall holder is positioned correctly thigten the screws.




## attaching the newspaper

You can design NewsLicht individually. Use a suitable newspaper format.

To attach a newspaper at NewsLicht please use the enclosed magnets.

Take three double pages of the newspaper. It shouldn't be more, because the strength of the magnets could not be sufficient. The newspaper could slip down.

Attach the double sides one by one with magnets. One double side with one magnet on every side.



## other uses

Instead of a newspaper, you can also attach notes, postcards or other things to the tin.

**Lichtlauf GmbH**

Sonnentaustraße 12  
80995 München

T +49(0)89.30905274-0  
F +49(0)89.30905274-9

[info@lichtlauf.de](mailto:info@lichtlauf.de)  
[www.lichtlauf.de](http://www.lichtlauf.de)